

**SCHEDA TECNICO-COMMERCIALE PER ARREDAMENTO **PROVVISORIA****  
*Commercial - **Provisional** Technical Data for furniture*

Articolo / Article :

**517 RODI**



Composizione / Composition :

**80% POLYAMIDE**  
**20% ELASTANE**

Peso / Weight (+/- 5 %) : **170 g/m<sup>2</sup>**

Altezza / Width (+/- 2%): **150 cm**

Peso / Weight (+/- 5 %) : **255 g/m lin.**

Pezza / Piece : **70 m**

Maglie / Courses : **42 / cm**

Cannette / Wales : **26 / cm**

**Stabilità Dimensionale - Lavaggio 40° C**  
*Dimensional Stability - Washing 40° C*

BS EN ISO 6330 @40°C - flat dry

altezza / width : **max -5%**

lunghezza / length : **max -5%**

**Stabilità Dimensionale - Vapore**  
*Dimensional Stability - Steam*

altezza / width : **max -4%**

lunghezza / length : **max -4%**

**Resistenza al Pilling/Resistance to Pilling**

NU Martindale - ISO 12945-2 Cat.1 - 5000 rotations

su lana : **5**

on wool

**Abrasion 12kPa/Abrasion 12kPa**

NU Martindale - ISO 12947-2

su lana : **> 40000**

on wool

**Allungamento al Dinamometro (+/- 15%)**

*Stretch to Dynamometer (+/- 15%)*

INSTRON 3343 - 3.6 kg - BS4952 - strip test

Tinto / Plain dyed altezza / width : **115%**  
(min 97% - max 132%)

lunghezza / length : **170%**  
(min 144% - max 196%)

**Allungamento Manuale (+/- 15%)**

*Hand Elongation*

altezza / width : **120%**  
(min 102% - max 138%)

lunghezza / length : **180%**  
(min 153% - max 207%)

Simboli di manutenzione :

Care labelling codes :



**Test di infiammabilità / Flammability test :**

**TB 117:2013** - Smouldering Cigarette Test on upholstered furniture: **PASS** (NON fire-retardant polyurethane foam with a density of 28 kg/m<sup>3</sup>)

**BS 5852-1:1979** - Match Test on upholstered furniture (Ref. Schedule 5 Part II - "stretch covers"): **PASS** (fire-retardant polyurethane foam with a density of 25 kg/m<sup>3</sup>)

Note / Notes : **SCHEDA TECNICO-COMMERCIALE PER ARREDAMENTO**  
**COMMERCIAL-TECHNICAL DATA FOR FURNITURE**

**ELASTAN (LYCRA® XTRA LIFE™) - ELASTANE (LYCRA® XTRA LIFE™)**

**RACCOMANDIAMO DI TESTARE OGNI BAGNO PRIMA DI QUALSIASI TRATTAMENTO O APPLICAZIONE CHE NON SIA TAGLIO E CUCITO**  
**WE RECOMMEND TESTING EACH DYEBATH BEFORE ANY TREATMENT OR APPLICATION OTHER THAN CUTTING AND SEWING**

Il produttore, al fine di migliorare il prodotto, si riserva di apportare qualunque modifica in qualsiasi momento.  
To improve our products, we reserve the right to modify these, as and when necessary.