

SCHEMA TECNICO-COMMERCIALE PER ARREDAMENTO
Commercial - Technical Data for furniture

Articolo / Article : **390 VITA**

Composizione / Composition : **78 % POLYAMIDE**
22 % ELASTANE



Peso / Weight (+/- 5 %) : **190 g/m²**

Altezza / Width (+/- 2%): **150 cm**

Peso / Weight (+/- 5 %) : **285 g/m lin.**

Pezza / Piece : **70 m**

Maglie / Courses : **44 / cm**

Cannette / Wales : **26 / cm**

Stabilità Dimensionale - Lavaggio 40° C
Dimensional Stability - Washing 40° C

altezza / width : **max -5%**

lunghezza / length : **max -5%**

BS EN ISO 6330 @40°C - flat dry

Stabilità Dimensionale - Vapore
Dimensional Stability - Steam

altezza / width : **max -3%**

lunghezza / length : **max -3%**

Resistenza al Pilling/Resistance to Pilling
NU Martindale - ISO 12945-2 Cat.1 - 5000 rotations

su lana : **4/5**
on wool

Abrasion 12kPa/Abrasion 12kPa
NU Martindale - ISO 12947-2

su lana : **> 40000**
on wool

Allungamento al Dinamometro (+/- 15%)
Stretch to Dynamometer (+/- 15%)

INSTRON 3343 - 3.6 kg

Tinto / Plain dyed altezza / width : **85%**
(min 72% - max 98%)

lunghezza / length : **145%**
(min 123% - max 167%)

Allungamento Manuale (+/- 15 %)
Hand Elongation

altezza / width : **90%**
(min 76% - max 104%)

lunghezza / length : **150%**
(min 127% - max 173%)

Simboli di manutenzione :
Care labelling codes :



Test di infiammabilità / Flammability test :

BS 5852-1:1979 - Smouldering Cigarette Test on upholstered furniture (Ref. Schedule 4 Part I): **PASS** (NON fire-retardant polyurethane foam with a density of 21 kg/m³)

EN 1021-1:2014 - Smouldering Cigarette Test on upholstered furniture: **PASS** (fire-retardant polyurethane foam with a density of 35 kg/m³)

TB 117:2013 - Smouldering Cigarette Test on upholstered furniture: **PASS** (NON fire-retardant polyurethane foam with a density of 28 kg/m³)

BS 5852-1:1979 - Match Test on upholstered furniture (Ref. Schedule 5 Part II – “stretch covers”): **PASS** (fire-retardant polyurethane foam with a density of 25 kg/m³)

Note / Notes : **POLIAMMIDE MULTIFILAMENTO RICICLATA**
RECYCLED MULTIFILAMENT POLYAMIDE

RACCOMANDIAMO DI TESTARE OGNI BAGNO PRIMA DI QUALSIASI TRATTAMENTO O APPLICAZIONE CHE NON SIA TAGLIO E CUCITO
WE RECOMMEND TESTING EACH DYEBATH BEFORE ANY TREATMENT OR APPLICATION OTHER THAN CUTTING AND SEWING

Il produttore, al fine di migliorare il prodotto, si riserva di apportare qualunque modifica in qualsiasi momento.
To improve our products, we reserve the right to modify these, as and when necessary.